

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: December 2, 2010  
Electronic Signature for Harvey L. Cohen: /Harvey L. Cohen/

Docket No.:  
DAVIES 3.0-001 CIP I  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Letters Patent of:  
Richard J. Davies

Patent No.: 7,630,759

Issued: December 8, 2009

For: METHOD AND SYSTEM FOR DETECTING  
ELECTROPHYSIOLOGICAL CHANGES IN PRE-  
CANCEROUS AND CANCEROUS BREAST  
TISSUE AND EPITHELIUM

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323**

Dear Sir:

Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

We look forward to early return of the Certificate of Correction duly certified.

Dated: December 2, 2010

Respectfully submitted,

Electronic signature:  
/Harvey L. Cohen/  
Harvey L. Cohen  
Registration No.: 28,365  
LERNER, DAVID, LITTENBERG,  
KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090  
(908) 654-5000

Attorney for Applicant

LD-449\

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,630,759  
APPLICATION NO. : 10/717,074  
ISSUE DATE : December 8, 2009  
INVENTOR(S) : Richard J. Davies

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 49, "are" should read --is--.  
Column 2, line 10, after "mass" delete --,--.  
Column 2, line 39, "are" should read --is--.  
Column 2, line 60, "so called" should read --so-called--.  
Column 3, lines 57-58, "impedivity7" should read --impedivity--.  
Column 4, line 12, "so called" should read --so-called--.  
Column 7, line 24, "are" should read --is--.  
Column 9, line 36, after "mouse" insert --,--.  
Column 9, line 60, after "breast" delete --,--.  
Column 9, line 62, "being of" should read --is the--.  
Column 10, line 66, "cycle" should read --cycles--.  
Column 11, line 57, "are" should read--is--.  
Column 12, line 5, "is" should read --are--.  
Column 14, line 45, "flow through" should read --flow-through--.  
Column 14, line 50, after "case" insert --of--.  
Column 14, line 63, after "concentration" insert --may--.  
Column 15, line 47, after "includes" delete --,--.  
Column 16, line 6, "is" should read --are--.  
Column 17, line 54, "sinsor" should read --sensor--.  
Column 17, line 55, "inernal" should read --internal--.  
Column 19, line 7, "is" should read --are--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):  
Harvey L. Cohen  
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090

PATENT NO. : 7,630,759  
APPLICATION NO. : 10/717,074  
ISSUE DATE : December 8, 2009  
INVENTOR(S) : Richard J. Davies

**Column 20, line 11, after words "generator" and "produces" delete ",".**  
**Column 20, line 42, after "agents" insert --,--.**  
**Column 20, line 43, "provide" should read --provides--.**  
**Column 21, line 25, "mean" should read --means--.**  
**Column 21, line 31, after "epithelium" delete --is--.**  
**Column 23, line 61, "is" should read --are--.**  
**Column 27, line 8, "solution" should read --solutions--.**  
**Column 27, line 9, "comprises" should read --comprise--.**  
**Column 27, line 53, after "Furthermore" insert --,--.**  
**Column 28, line 25, after "Secretin" insert --,--.**  
**Column 28, line 54, after "electrode" delete --,--.**  
**Column 30, line 16, "epithelium containing" should read --epithelium-containing--.**  
**Column 30, lines 19-20, "epithelium containing" should read --epithelium-containing--.**

MAILING ADDRESS OF SENDER (Please do not use customer number below):  
Harvey L. Cohen  
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090